


CITRUS DEGREASER



A citrus-based degreaser which is excellent for cleaning grease and oil.

- High performance industrial degreaser which cleans on contact
- Fast acting on grease, oil and sludge
- Natural based
- Does not contain chlorinated solvents
- Flash point above 100°F (38°C)
- Nonconductive
- Safe on all metals and most plastics
- Inverta Spray Valve lets you spray in an upright or inverted position
- Value Performance

Citrus Degreaser is available in this size:

15 ounce aerosol (425 grams)	05020
1 gallon (3.78 liters)	05001
5 gallons (18.93 liters)	05005
55 gallons (208 liters)	05055

Typical applications where Citrus Degreaser can be used:

- Air Compressors
- Alternators
- Bearings
- Chains & Cable Connections
- Cranes
- Diesel Engines
- Electric Motors
- Fork Lifts
- Gasoline Engines
- Gears
- Generators
- High Voltage Cables
- Power and Air Tools
- Printing Presses
- Pulleys
- Terminals/Switches

General Information

Citrus Degreaser is a citrus-based solvent designed to solve the toughest cleaning problems. Citrus Degreaser's high performance formula effectively removes adhesives, oil, grease, wax, tar, dirt and other contaminants in seconds. It evaporates leaving low residue. Citrus Degreaser does not contain any chlorinated solvents and has a flash point above 100°F. Citrus Degreaser is safe to use on all metal parts and equipment.

Material Safety Data Sheets are available upon request.

Properties

Flash Point:
104°F (40°C)

Odor:
Citrus

Specific Gravity:
.813 @ 77°F (25°C)

KB Value:
49

VOC Content:
Aerosol – 789 g/l
Bulk – 813 g/l

% Volatile:
100%

Propellant:
Carbon Dioxide



LPS Laboratories • An Illinois Tool Works Company
P.O. Box 105052 • 4647 Hugh Howell Road • Tucker, GA 30085-5052 U.S.A.
TEL: (800) 241-8334 or (770) 243-8800 • FAX: (800) 543-1563 or (770) 243-8899
Internet Web Site: www.lpslabs.com

©2003 LPS Laboratories • LPS® is a registered trademark of Illinois Tool Works • All Rights Reserved • Rev. 2/2003

**CERTIFIED
ISO 9001**
QUALITY MANAGEMENT SYSTEM